








































| <p>door 1925 x 570 r/h Hflush RV Su diamond silver</p> <p>Firma RV Supplies Rev.:3</p> | | <p>HARTAL 04.6851</p> <p>Hans Holzauer GmbH & Co.KG 58638 Iserlohn 11.02.2022 Ruhnke</p> | |
|--|---|---|----------------|
| | | Mindest- Liefermenge | EURO/ Stück |
| 1 |  <p>door 17.8004.8408 (Hflush) r/h 1925 x 570 drawing no.: 12.4874 diamond silver fr.+sheet</p> | | |
| 2 |  <p>outer frame r/h 73.4874.9901 eloxalsilver mounted completely</p> | | |
| 3 |  <p>door panel r/h 73.4874.8401 diam.silver mounted completely</p> | | |

| | | | | |
|----|---|--|--|--|
| 4 |  | <p>outer lock STAR r/h black Syst.ZWO/HSC FAWO 01715T94499 23.0202.9901</p> | | |
| 5 |  | <p>inner system for lock l/h, screws with micro-switch 73.4041.9910</p> | | |
| 6 |  | <p>Central locking unit without servomotor 73.4041.99</p> | | |
| 7 |  | <p>Upper bowden cable 73.4055.9901</p> | | |
| 8 |  | <p>Lower bowden cable 73.4055.9902</p> | | |
| 9 |  | <p>Lower left locking with microswitch for 2-point-locking 73.4056.9901</p> | | |
| 10 |  | <p>Upper left locking 2-point-locking 73.4072.99</p> | | |

| | | | | |
|------|---|---|--|--|
| 11 |  | <p>Servomotor for central locking 73.7273.99</p> | | |
| 12 |  | <p>Coupling for servomotor 73.4053.75</p> | | |
| 13 |  | <p>Rod for inner lock 2-point-locking 73.4171.71</p> | | |
| 14 |  | <p>Inner lock Handle black 73.4230.9901</p> | | |
| 14.1 |  | <p>Inner handle Grip base complete 73.4168.99</p> | | |
| 15 |  | <p>Cap for inner lock black 87.4165.7501</p> | | |
| 16 |  | <p>Replacement contacts for central locking with contacts for inner and outer frame, seal and screws 73.3524.9901</p> | | |

| | | | |
|----|---|--|--|
| 17 |  <p>Lock cover I/h basaltgrey with holding plates 2-point. 73.4404.9901</p> | | |
| 18 |  <p>Expanding rivet for lock cover 8 pieces per cover 97.0111.75</p> | | |
| 19 |  <p>Bag RAL 7012 73.5011.9902</p> | | |
| 20 |  <p>Blind one-sided RAL 9001 pleating white/white 81.4406.9922</p> | | |
| 21 |  <p>Seal 72.2730.76</p> | | |
| 22 |  <p>Seal for door with masked hinges EPDM 72.4025.76</p> | | |
| 23 |  <p>Fixing part for outer frame with screw 4,2x25 black for wallthickness (32-35) 97.9914.9905</p> | | |

| | | | |
|----|---|--|--|
| 24 |  <p>Edge protection profile white RAL9003 22.0044.7502</p> | | |
| 25 |  <p>Attachmentpart for bin basaltgrey 23.8880.7509</p> | | |
| 26 |  <p>Screw for attachmentpart 5 x 35mm 96.0573</p> | | |
| 27 |  <p>Flyscreen RAL 9001 for door 1925x570 drawing no. 12.4413 30.1476.8209</p> | | |
| 28 |  <p>Inner cover profile 100m lightgrey RAL 7035 72.3707.7501</p> | | |
| 29 |  <p>Blind hinge 1500mm long 73.4370.9901</p> | | |
| 30 |  <p>Torx screw for hidden hinge M4x12 T20 DIN EN ISO 10642 Precote 83 96.0523.98</p> | | |

| | | | | |
|----|---|--|--|--|
| 31 |  | <p>Supporting part for outer frame 73.2448.70</p> | | |
| 32 |  | <p>Bin basaltgrey without attachmentparts 73.3963.9904</p> | | |
| 33 |  | <p>Lock keeper cover set for door without flyscreen 73.4361.9901</p> | | |
| 34 |  | <p>Replacement handle with screws Handle: E6/EV1 73.4466.99</p> | | |
| 35 |  | <p>Gas spring for door-retainer 97.0145.9901</p> | | |
| 36 |  | <p>Closing bracket with nuts and washers for 2-pint-locking 73.4372.99</p> | | |
| 37 |  | <p>Holding bracket 73.4095.99</p> | | |
| 38 |  | <p>Screw for holding bracket 4,5 x 20mm 96.0330</p> | | |